
FIG. 1



OBLON, SPIVAK, ET AL DOCKET # 240129US2RD INV: Hideaki NAKAKITA, et al. SHEET <u>2</u> OF <u>31</u>

FIG. 2





FIG. 3



OBLON, SPIVAK, ET AL DOCKET # 240129US2RD INV: Hideaki NAKAKITA, et al. SHEET <u>3</u> OF 31

FIG. 4




FIG. 5





FIG. 6

ТҮРЕ	MAXIMUM NUMBER OF TERMINALS THAT CAN JOIN	NUMBER OF TERMINALS CURRENTLY JOINING

FIG. 7

ТУРЕ	MAXIMUM NUMBER OF TERMINALS THAT CAN JOIN	BIT RATE	JITTER	TRANSMISSION DISTANCE	NUMBER OF TERMINALS CURRENTLY JOINING
					,


6/31




7/31

ISSION ISSION		MAXIMUM TRANSMISSION DISTANCE
MAXIMUM TRANSMISSION DISTANCE		MAXINUM Tolerable Jitter
E JITER		10 EE
MAXIMUM TOLERABLE JITTER		MINIMUM BIT RATE
MINIMUM BIT RATE	FIG. 9B	APPLICATION TYPE
TERMINAL		TERMINAL
FRAME TYPE		FRAME TYPE

8/31





_ ئ

FIG. 12






FIG. 13




12/31



iG. 14

FIG. 15



14/31





FIG. 16

FIG. 17



16/31




FIG. 18

17/31





FIG. 10

OBLON, SPIVAK, ET AL DOCKET # 240129US2RD INV: Hideaki NAKAKITA, et al. SHEET <u>18</u> OF <u>31</u>

FIG. 20



19/31




FIG. 21

20/31





FIG. 23

21/31



22/31





FIG. 24

23/31



24/31




FIG. 26

25/31






FIG. 27

26/31



27/31



28/31






FIG. 31



30/31



HG. 32

31/31

